



KONICA MINOLTA

bizhub 215

✓ Black & white A3 multifunctional

✓ Up to 21 pages per minute

Functionality



– Black & white

Copying



– Colour
– Black & white
– PCL/GDI
– Local/network

Printing



– Colour
– Black & white
– TWAIN Network
– Scan-to-SMB
– Scan-to-email
– Scan-to-FTP
– Scan-to-USB

Scanning



– i-Fax
– Super G3 Fax


Faxing



Technology

EMPERON	SIMITRI®HD TONER	IWS	OPEN API	iOPTION	CSRC
X	✓	X	X	X	✓

Option diagram



Finishing options



Duplex

Descriptions

bizhub 215	Fully multifunctional A3 b/w device with 21 ppm; standard copy, print (GDI) and colour scanning functionality (incl. Scan-to-USB); paper capacity 250 sheets; 128 MB standard memory; USB 2.0 interface
OC-512 Original Cover	Cover (instead of ADF)
DF-625 Document Feeder	Automatic document feeding of up to 70 sheets
AD-509 Duplex Unit	Authentication device placement
MB-505 Bypass Tray	For duplex prints and copies
PF-507 Paper Cassette	For special media
DK-706 Desk (large)	B5-A3, 250 sheets, 64-90 gsm, up to four can be equipped

DK-707 Desk (medium)	For 0 or 1 x PF-507
DK-708 Desk (small)	For 2 x or 3 x PF-507
MK-733 Optional Panel	For 4 x PF-507
IC-209 Controller	PCL print controller for PCL printing incl. network functionality
NC-504 Network Interface Card	Network functionality (print and scan) if IC-209 is not installed
FK-510 Fax Kit	Super G3 fax
MC-504 Mechanical Counter	For mechanical counting
SX-600 Wireless LAN	Wireless LAN to network connector
EH-C591 Convenience Stapler	Convenient stapling of up to 50 prints per set

Technical specifications

COPIER SPECIFICATIONS

Copying process	Laser electrostatic image transfer
Toner system	Simitri HD® polymerised toner
Copy/print speed A4	Up to 21 ppm
Copy/print speed A3	Up to 7.8 ppm
Autoduplex speed A4 (optional)	Up to 15.8 ppm
1st copy/print time	Less than 6.5 sec
Warm-up time	Less than 15 sec
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multi-copy	1–999
Original format	A5–A3
Magnification	25–400% in 0.1% steps; auto-zooming
Copy functions	2in1; 4in1; book copy; ID copy; shift margin; erase; image rotation; program registration

PRINTER SPECIFICATIONS

Print resolution	GDI: 600 x 600 dpi; PCL (optional): 1,200 x 600 dpi
Controller CPU	120 MHz
Page description language	GDI; PCL 6/5e (optional)
Operating systems	Windows XP (32 bit/64 bit); Windows Vista (32 bit/64 bit); Windows 7 (32 bit/64 bit); Windows 2003 Server (32/64 bit); Windows 2008 Server (32/64 bit); Windows 2008 Server R2
Printer fonts	53 x PCL Latin
Print functions	N-up; watermark; secure print; image rotation

SCANNER SPECIFICATIONS

Scan speed	Mono up to 46 opm (300 dpi via optional ADF); Mono up to 23 opm (600 dpi via optional ADF); Colour up to 20 opm (150 dpi via optional ADF); Colour up to 8 opm (300 dpi via optional ADF)
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Local TWAIN scan; Network TWAIN scan (optional); Scan-to-eMail (optional); Scan-to-FTP (optional); Scan-to-SMB (optional); Scan-to-USB
File formats	PDF; JPEG; TIFF
Scan destinations	32 one-touch destinations; 250 speed dial destinations, LDAP support



FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax
Fax resolution	Standard; Fine; Super-fine Max.: 408 x 392 dpi (Super-fine via optional ADF)
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	32 one-touch destinations; 250 speed dial destinations
Fax functions	PC fac; polling; forward; phone book; redial

SYSTEM SPECIFICATIONS

System memory	128 MB
Interface	USB 2.0 10Base-T/100Base-TX Ethernet (optional)
Network protocols	TCP/IP (IPv4; IPv6); HTTP; SNMP
Automatic document feeder	Reverse type; up to 70 originals; A5–A3 35–128 gsm simplex; 50–128 gsm duplex
Printable paper size	A5–A3
Customised paper sizes	90–297 x 140–432 mm
Printable paper weight	64–157 gsm
Paper input capacity	Standard: 250 sheets; max.: 1,350 sheets
Paper tray 1	250 sheets; B5–A3; Customised paper sizes (90–297 x 140–432 mm); 64–157 gsm
Paper tray 2–5 (optional)	250 sheets; B5–A3; Customised paper sizes (140–297 x 140–432 mm); 64–90 gsm
Manual bypass (optional)	100 sheets; A5–A3; Customised paper sizes (182–297 x 182–432 mm); 64–157 gsm
Automatic duplexing (optional)	A5–A3; 64–90 gsm
Finishing modes	Group; sort; crisscross
Output capacity	Max.: 250 sheets
Copy/print volume (monthly)	Recommended: 3,000 pages; Max.: 15,000 pages
Toner lifetime	Up to 12,000 pages
Power consumption	220–240 V / 50/60 Hz; less than 1.25 kWh
System dimensions (W x D x H, mm)	570 x 570 x 458
System weight	26.5 kg

SYSTEM FEATURES

Accounting	Up to 50 accounts
Software	PageScope Web Connection; PageScope NetCare Device Manager

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5 % coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



Simitri HD
High Definition Polymerised Toner

Simitri
with Biomass

